

[Sign in](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

file structure identifier camera transfer

[Search Patents](#)[Advanced Patent Search](#)

Patent Search

Patents 11 - 20 of 34 on file structure identifier camera transfer. (0.05 seconds)

Apparatus and method for increasing a digital camera image capture rate by delaying image processing

US Pat. 5867214 - Filed Apr 11, 1996 - Apple Computer, Inc.

Also the "IM" in the image implemented on top of a multithreaded operating system and **identifier** may be replaced with "IO." The image data **file** may ...

Interactive memory archive

US Pat. 6760884 - Filed Dec 21, 1999 - Internal Research Corporation

A data **structure** as recited in claim 10, further comprising a plurality of audio elements each having an audio **identifier** and a reference to an audio **file**. ...

Image synthesization method

US Pat. 7085435 - Filed Jan 21, 2003 - Canon Kabushiki Kaisha

That is, for an **identifier** 34 are stored a mode **identifier** (hereinafter referred to as a "mode ID") 35 that is provided when the electronic **camera** 1 is set ...

Network control system

US Pat. 6667992 - Filed Apr 1, 1999 - Matsushita Electric Industrial Co., Ltd.

The DVD 31 and DVC movie **camera** 34 are devices capable of recording and ... is an **identifier** indicating the support level/ maximum **transfer** amount flag 51. ...

Digital camera having display device for displaying graphical representation of user input and method for transporting the selected digital images thereof

US Pat. 6167469 - Filed May 18, 1998 - Agilent Technologies, Inc.

An **identifier** of the selected image is stored in the storage device for ... The Out Box is a data **structure** in the storage device 212 of the **camera** 100 ...

System and method for selective decoding and decompression

US Pat. 6859557 - Filed Jul 7, 2000 - Microsoft Corp.

This **identifier** at a minimum identifies what frame and what frame ... The **file** 302 includes a data **structure** formed from a plurality of elements or fields. ...

XX X XX

US Pat. 7034880 - Filed Jan 7, 1998 - U

The error **file** can be reviewed by the user on the color LCD image display 14 of the digital **camera** 12. In order for the customer to obtain the appropriate ...

Image synthesization method

US Pat. 6549681 - Filed Sep 25, 1996 - Canon Kabushiki Kaisha

9, for the **structure** of data concerning an image, which is photographed using the electronic **camera** 307, that is stored in the memory incorporated in the ...

Information processing apparatus for recording streaming data in a storage device


US Pat. 7000039 - Filed Jul 16, 2003 - Kabushiki Kaisha Toshiba

The PCI bus 100 is a bus used for various data transfer between the 35 ...
The i-node number is a file identifier for uniquely identifying each file. ...

Information embedding and resolving method and apparatus

US Pat. 6123258 - Filed Jun 11, 1998 - Fuji Xerox Co., Ltd.

... such as a 2s scanner, a camera, a digital camera, and a video camera, ...
the expander and the file name useable to 45 discriminate a plurality of ...



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [Next](#)

file structure identifier camera transfer

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

[Sign in](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

file size source version camera transfer

Search Patents

[Advanced Patent Search](#)
[Google Patent Search](#)**Patent Search**

Patents 1 - 10 of 26 on file size source version camera transfer. (0.29 seconds)

Application programming interface for manipulating flashpix files

US Pat. 6272558 - Filed Oct 6, 1997 - Canon Kabushiki Kaisha

Input parameters to the function are a requested implementation **version** number... to control flashpix **file size** while preserving original image quality. ...**Camera for use with personal digital assistants with high speed communication link**

US Pat. 6657654 - Filed Apr 29, 1998 - International Business Machines Corporation

The software ensures that changes made on the PDA and changes made on the PC can be combined to create the latest **version** of an information **file**. ...**Device and method for studying particles in a fluid**

US Pat. 6115119 - Filed Oct 21, 1998 - Bigelow Laboratory for Ocean Science

The detection electronics 45 provide an amplified **version** 10 of the PMT ...**camera** 60, focus fluorescence excitation light from the light **source** 30 onto the ...**Method of producing a high quality, high resolution image from a sequence of low quality, low resolution images that are undersampled and subject to jitter**

US Pat. 6650704 - Filed Oct 25, 1999 - Irvine Sensors Corporation

The particular video **source** 10 shown in FIG. 1 is a real-time, digital **camera** 12.The video **source** 10, however, could also be a data **file** that contains ...**Two-dimensional code reader setting method, two-dimensional code reader, two dimensional code reader setting program and computer readable recording medium**

US Pat. 6983886 - Filed Jul 16, 2003 - Keyence Corporation

8 (6): CALCULATE SYMBOL **SIZE** (7): CALCULATE SYMBOL **SIZE** FROM CODE TYPE, **VERSION** (CODE **SIZE**) AND CELL **SIZE**. INQUIRE AT LABEL CREATION **SOURCE** IF THESE ...**Configurable, extensible, integrated profile generation and maintenance environment for facilitating image transfer between transform spaces**

US Pat. 6037950 - Filed Apr 18, 1997 - Polaroid Corporation

The profile **size** is given in bytes. The CMM, profile 50 **version** number and ...For example, the transformation of a color image from a digital **camera** to a ...**Multi-media server for treating multi-media information and communication system employing the multi-media server**

US Pat. 5517652 - Filed May 30, 1991 - Hitachi, Ltd.

The **file** is composed of an inter-field table 81, an intra-field table 82, an address con-**version** table 83, and a data area 84. The inter-field table 81 ...**Imaging system providing dynamic viewport layering**

US Pat. 7051040 - Filed Oct 18, 2002 - LightSurf Technologies, Inc.

HTTP: Short for Hypertext **Transfer** Protocol, this is the underlying protocol ...Red eye Compensation: The "red eye" effect is caused by a **camera's** flash ...

Optimized BIFS encoder

US Pat. 6693645 - Filed Nov 30, 2000 - iVast, Inc.

To decrease **file size**, the text-based language or multimedia information can be ... BIFS is part of the Motion Picture Experts Group **version 4** specification ...

Techniques for generating a distributed low-resolution digital image capable of viewing in any resolution

US Pat 7062107 - Filed Nov 28, 2000 - Eastman Kodak Company

Second, the **size** of the resultant image **file** is much smaller since only a ...

Typically the digital **camera** system 500 includes the image **source** 202 that ...

Google ►

Result Page: 1 2 3 **Next**


file size source version camera transfer

Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

[Sign in](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

same folder structure camera

Search Patents

[Advanced Patent Search](#)
[Google Patent Search](#)

Patent Search

Patents 1 - 10 of 55 on same folder structure camera. (0.47 seconds)

Digital camera having imaging portion, first terminal, and second terminal for outputting signals based on image data in accordance with same data communication interface standard

US Pat. 7062576 - Filed Oct 5, 2004 - Nikon Corporation

If presented with the LCD 6q of the digital camera 6, and a files not transmitted yet are held in a folder structure, the users is asked in what folder the ...

External storage device for image pickup apparatus, control method therefor, image pickup apparatus and control method therefor

US Pat. 6965403 - Filed Oct 15, 2001 - Canon Kabushiki Kaisha

7, the folder structure prepared in the backup HDD 62 of the cradle 50 (S3). ... the displayed thumbnail images can be changed within the same folder. ...

Digital image storage system and digital camera system

US Pat. 6886056 - Filed Sep 30, 2002 - Nikon Corporation

In step S103, the digital camera 6 is checked for a folder (hierarchical) structure that holds files not transmitted yet. If files not transmitted yet ...

Method and system for automatically generating a plurality of folders for multiple devices and multiple sessions in a digital camera

US Pat. 6507363 - Filed Mar 18, 1998 - FlashPoint Technology, Inc.

In this mode there may be naming conflicts because the camera that is receiving images may have an image in the folder with the same name as the camera that ...

Producing panoramic digital images by digital camera systems

US Pat. 6714249 - Filed Dec 31, 1998 - Eastman Kodak Company

4A, an example is shown of the 50 storage structure of the series of digital ... Each image is stored in the same folder 60 as the first and second images. ...

Television set capable of controlling external device and image storage controlled by television set

US Pat. 7016595 - Filed May 22, 2000 - Nikon Corporation

In the case of the same digital camera 6, the flow is advanced to step S109 ... If the folder has hierarchical structure, the flow is advanced to the step ...

FIG.IY

US Pat. 7119818 - Filed Sep 12, 2002 - Ider in accordance with the date of the photographing operation for the received images

First, in step S1301, an image in the camera 310 is transferred into a memory of the ... Reference numeral 1802 represents a structure in units of a folder. ...

Managing user clips

US Pat. 6741996 - Filed Apr 18, 2001 - Microsoft Corporation

(A sibling folder is 5 one that is at the same subfolder level below a ... media files within a folder structure based upon the content or subject matter of ...

Electron camera and method of controlling the same

US Pat. 6816189 - Filed Mar 2, 2001 - Kabushiki Kaisha Toshiba

r-RECORDING MEDIUM OF ELECTRON CAMERA DCIM- ... - FILE STRUCTURE THAT CAN BE SEEN THROUGH ELECTRON CAMERA F IG. ... - -OTHER —IMAGE L-VFM FOLDER 1 r- ...

Apparatus and method for adjusting photographing angle of camera in portable terminal

US Pat. 7061520 - Filed Jan 9, 2004 - Samsung Electronics Co., Ltd.

5 to 7 represent a **structure** of a portable terminal and a method for adjusting a photographing angle of a **camera** in the portable terminal according to a ...

Gooooooooo ▶

Result Page: 1 2 3 4 5 6 **Next**[Google Patent Search Help](#) | [Advanced Patent Search](#)[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google